

MANUAL CORE CUTTER [KGR] WITH CRANK SYSTEM

The machine is designed for manually cutting of paper cores with a length 1500 - 2500 mm, wall thicknesses up to 16 mm. Range of supported diameters: 25 - 152.4 mm. The set includes 3 selected diameters. A solid construction made of 50x50 profiles, specialized feet eliminating vibrations, covers of hazardous elements. It is possible to equip the machine with an inverter regulating the rotational speed of the core.

The role of the operator is to manually install the core, set the knife and the limiter.

To start the cutting cycle, the operator lowers the knife against the core. After cutting the core, it raises the knife, uses the crank to move the core to the limiter and repeats the cutting cycle.

The work of the machine is shown in the film posted at the following address:

<https://youtu.be/x0JYnDQXyco>





Technical data

Producer	ZPHU ALTANIKA Mariusz Krzyśków Wrocław, Polska
Contact	Aleksandra Wielocha + 48 664 117 005 aleksandra@altanika.pl
Warranty	12 months
Manual	In English
CE marking	Yes
EC declaration of conformity	Yes
Power	3x 400V
Power consumption	0,55kW
Width	700 mm
Length	1700 mm/2200/2700 mm
Height	1400 mm
Weight	120 - 170 kg
Installation of the core	Manual
Core move	Manual with a crank
Main drive	Three-phase motor
Cutting tool	Circular knife
Diameter range	The set includes 3 selected diameters ranging from 25 mm to 152.4 mm
Thickness of the core	Up to 16 mm
The length of the install core	1500 mm/2000 mm/2500 mm
Minimum cutting length	10 mm

Additional options

Core rotational speed control	Inverter
-------------------------------	----------