

## NO-CORE AUTOMATIC REWINDING MACHINE [PBA]

The purpose of the machine is coreless, automatic confection of various types of material, i.e. paper, non-woven fabric, interlining, etc. Adapted to materials with a working width of up to 1200 mm. The machine is controlled by a PLC. Automatic cutting and sticking of the material. The machine meets the requirements of the **INDUSTRY 4.0** program through the installed GSM module enabling remote diagnostics and service. The role of the operator is to give commands from the controller.

**The work of the machines is shown in the films posted at the following addresses:**

<https://youtu.be/-uEZU8XZJIU>





## Technical data

Producer	ZPHU ALTANIKA Mariusz Krzyśków   Wrocław, Polska
Contact	Aleksandra Wielocha + 48 664 117 005   aleksandra@altanika.pl
Warranty	12 months
Manual	In English
CE marking	Yes
EC declaration of conformity	Yes
Power	3 x 400 V
Power consumption	3 kW
Air pressure	Max 8 bar
Linear speed	80 m / min
Width	2500 mm
Length	1800 mm
Height	1700 mm
Weight	Up to 500 kg
The diameter of the unwinder core	76 mm
Winder	2 pcs.
Working width	500 – 1000 mm
Cutting	Automatic
Control	PLC driver
Speed control	Inverter
Automatic tension	Electric motor
Sticking	Automatic
GSM module for remote diagnostics and service.	